

**Scholar All articles - Recent articles** Results 1 - 100 of about 355 for xml token integer index attribute parser string table. (0.36 seconds)

Millau: an encoding format for efficient representation and exchange of XML over the Web- [uni-paderborn.de \[PDF\]](#)

M Girardot, N Sundaresan - Computer Networks, 2000 - Elsevier

... WBXML preserves the element structure of **XML**, allowing a ... of the content is encoded as an **integer** in the structure stream right after the global **token** (STR_L or ...

Cited by 96 - Related articles - Web Search - All 5 versions

Algorithms and programming models for efficient representation of XML for Internet applications- [huilhoo.com \[PDF\]](#)

N Sundaresan, R Moussa - Computer Networks, 2002 - Elsevier

... WBXML preserves the ele- ment structure of **XML**, allowing a ... the content is encoded as an **integer** in the structure stream right after the global **token** (STR_L or ...

Cited by 43 - Related articles - Web Search - All 18 versions

XWRAP: an XML-enabled wrapper construction system for Webinformation sources- [mpg.de \[PDF\]](#)

L Liu, C Pu, W Han - Data Engineering, 2000. Proceedings. 16th International ..., 2000 - ieeexplore.ieee.org

... We found that **XML** gives us great extensibilitytoaddmoretypes ... Thus a set of semantic **token** extraction rules can ... loop **integer** row_i = 3, 4 loop **integer** col_j = 0 ...

Cited by 318 - Related articles - Web Search - Bl. Direct - All 21 versions

[\[PDF\]](#) Binary XML Content Format Specification

WA Protocol - Version, 2001 - openmobilealliance.org

... of publicid is a multi-byte positive **integer** value, greater ... The **tokens** in this code page will never be used to represent standard **XML** document constructs. ...

Cited by 2 - Related articles - View as HTML - Web Search - All 15 versions

A better XML parser through functional programming

Q Kiselyov - Lecture Notes in Computer Science, 2002 - Springer

... int main(void) { **XML Parser** p = **XML ParserCreate(NULL); XML** ... The **parsing** component includes a hand- written **XML** lexer, which produces a **token** stream for ...

Cited by 25 - Related articles - Web Search - Bl. Direct - All 7 versions

The XML benchmark project- kfupm.edu.sa [PDF]

AR Schmidt, F Waas, ML Kersten, D Florescu, I ... - 2001 - eprints.kfupm.edu.sa

... tend to clash the generic **string tokens** of XML ... FOR \$b IN document("auction.xml")/

site/open_auctions ... of set-valued aggregates on the **index attribute** to accelerate ...

Cited by 229 - Related articles - View as HTML - Web Search - All 7 versions

[PDF] *VOTable: A proposed XML format for astronomical tables

R Williams, F Ochsenbein, OA de Strasbourg, FC ... - Version, 2002 - ivoa.net

... There are no null **tokens**, comments, quote characters, or separators ... "PHOT INT-MAG

B ... high overhead in the number of bytes, it has the advantage that **XML** tools can ...

Cited by 10 - Related articles - View as HTML - Web Search - All 13 versions

XMark: A benchmark for XML data management- mcs.csail.mit.edu [PDF]

A Schmidt, F Waas, M Kersten, MJ Carey, I ... - Proceedings of the 23th international conference on Very ... , 2002 - portal.acm.org

... type, from which richer data types, eg, **integers**, floats and ... languages tend to clash

the generic **string tokens** of XML. ... In the **XML** world, UDFs are of particular ...

Cited by 418 - Related articles - Web Search - All 29 versions

A DATA MODEL FOR INDEXING AND SEARCHING XML DOCUMENTS

A Kovcic, B Milosavljevica - Novi Sad J. Math, 2001 - emis.ams.org

... Inserting the document in the **XML** server database is ... by calling the method public

int insert(String ... document **parsing** and parsed **tokens** processing, respectively ...

Related articles - Web Search - All 10 versions

Method and system for providing an XML binary format

I Cseri, ON Seeliger, AJ Layman - US Patent App. 09/838,436, 2001 - Google Patents

... 19, 2001 Publication Classification (51) Int. ... incremental output and **parsing** of the

XML document without forcing the creation of a global **token table** or **string** ...

Related articles - Web Search - All 3 versions

Efficient RPC mechanism using XML

MG Girardot, N Sundaresan - US Patent App. 09/828,542, 2001 - Google Patents

... The tag **token** structure is an 8 bit unsigned **integer**. ... which is typical displayed

or operated on by an agent, ie, applications which process **XML** documents. ...

Related articles - Web Search - All 4 versions